



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT4080001

SITENAME Foresta di Campigna, Foresta la Lama, Monte Falco

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type C | 1.2 Site code IT4080001 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Foresta di Campigna, Foresta la Lama, Monte Falco

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1995-06 | 1.5 Update date 2014-10 |
|--|-----------------------------------|

1.6 Respondent:

Name/Organisation: Regione Emilia-Romagna - Direzione Generale Ambiente, Difesa del Suolo e della Costa - Servizio Parchi e Risorse forestali
Address: Viale della Fiera, 8 - 40127 Bologna
Email: segrprn@regione.emilia-romagna.it

1.7 Site indication and designation / classification dates

| | |
|--|--|
| Date site classified as SPA: | 1988-10 |
| National legal reference of SPA designation | Nota del Ministero dell'Ambiente per Commissione CEE n. 2401/SCN/1.1.1 del 17 ottobre 1988 |
| Date site proposed as SCI: | 1995-06 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | No data |

National legal reference of SAC designation:

No data

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

11.8338888888889

Latitude

43.8369444444444

2.2 Area [ha]:

4041.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD5

Emilia-Romagna

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 4030 | | | 1.0 | | P | B | C | A | A |
| 4060 | | | 10.02 | | G | B | C | A | A |
| 5130 | | | 5.24 | | G | B | C | A | A |
| 6210 | X | | 10.51 | | G | A | C | A | A |
| 6220 | | | 0.06 | | G | B | C | B | B |
| 6230 | | | 12.06 | | G | B | C | A | A |

| | | | | | | | | | | |
|------|--|--|---------|--|---|---|--|---|---|---|
| 6410 | | | 0.94 | | G | B | | C | B | B |
| 6430 | | | 21.44 | | G | C | | C | B | B |
| 6510 | | | 1.15 | | G | B | | C | B | B |
| 7220 | | | 0.45 | | G | B | | C | B | B |
| 8230 | | | 14.49 | | G | B | | C | B | A |
| 9130 | | | 146.05 | | G | B | | C | B | A |
| 9180 | | | 424.4 | | G | B | | C | A | A |
| 91E0 | | | 7.7 | | G | A | | C | B | A |
| 9210 | | | 281.36 | | G | A | | C | A | A |
| 9220 | | | 1849.15 | | G | A | | C | A | A |
| 9260 | | | 84.39 | | G | A | | C | A | A |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | Population in the site | | | | | | | Site assessment | | | | |
|---------|------|--|------------------------|----|---|------|-----|------|------|-----------------|---------|------|-------|----|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Gl |
| B | A085 | Accipiter gentilis | | | r | 4 | 4 | p | | G | B | A | C | A |
| B | A085 | Accipiter gentilis | | | c | | | | P | DD | B | A | C | A |
| P | 6302 | Anacamptis pyramidalis | | | p | | | | P | DD | C | B | C | C |
| B | A256 | Anthus trivialis | | | r | | | | P | DD | C | A | C | C |
| B | A256 | Anthus trivialis | | | c | | | | P | DD | C | A | C | C |
| B | A226 | Apus apus | | | c | | | | P | DD | D | | | |
| B | A091 | Aquila chrysaetos | | | w | | | | P | DD | C | A | C | B |
| B | A091 | Aquila chrysaetos | | | c | | | | P | DD | C | A | C | B |
| B | A091 | Aquila chrysaetos | | | r | 1 | 1 | p | | G | C | A | C | B |

| | | | | | | | | | | | | | | | |
|---|------|---|--|--|--|---|---|---|---|---|----|---|---|---|---|
| I | 1092 | Austropotamobius pallipes | | | | p | | | | P | DD | C | A | C | A |
| M | 1308 | Barbastella barbastellus | | | | p | | | | P | DD | B | A | C | A |
| F | 1137 | Barbus plebejus | | | | p | | | | V | DD | C | A | C | B |
| A | 5357 | Bombina pachipus | | | | p | | | | P | DD | C | A | C | A |
| M | 1352 | Canis lupus | | | | p | | | | V | DD | C | A | C | A |
| M | 1352 | Canis lupus | | | | r | | | | V | DD | C | A | C | A |
| B | A224 | Caprimulgus europaeus | | | | c | | | | P | DD | C | A | C | C |
| B | A224 | Caprimulgus europaeus | | | | r | | | | P | DD | C | A | C | C |
| B | A334 | Certhia familiaris | | | | r | | | | P | DD | C | A | B | B |
| B | A334 | Certhia familiaris | | | | c | | | | P | DD | C | A | B | B |
| B | A212 | Cuculus canorus | | | | r | | | | P | DD | C | A | C | C |
| B | A212 | Cuculus canorus | | | | c | | | | P | DD | C | A | C | C |
| B | A253 | Delichon urbica | | | | c | | | | P | DD | D | | | |
| B | A236 | Dryocopus martius | | | | p | | | | P | DD | C | A | B | A |
| B | A236 | Dryocopus martius | | | | r | 4 | 5 | p | | G | C | A | B | A |
| I | 1074 | Eriogaster catax | | | | p | | | | P | DD | C | A | C | C |
| I | 6199 | Euplagia quadripunctaria | | | | p | | | | P | DD | C | A | C | C |
| B | A251 | Hirundo rustica | | | | c | | | | P | DD | D | | | |
| B | A233 | Jynx torquilla | | | | r | | | | P | DD | C | A | C | C |
| B | A233 | Jynx torquilla | | | | c | | | | P | DD | C | A | C | C |
| B | A338 | Lanius collurio | | | | r | | | | R | DD | C | A | C | C |
| B | A338 | Lanius collurio | | | | c | | | | P | DD | C | A | C | C |
| I | 1083 | Lucanus cervus | | | | p | | | | P | DD | C | A | C | C |
| B | A246 | Lullula arborea | | | | r | | | | P | DD | C | A | C | B |
| B | A246 | Lullula arborea | | | | c | | | | P | DD | C | A | C | B |
| B | A271 | Luscinia megarhynchos | | | | c | | | | P | DD | C | A | C | B |
| B | A271 | Luscinia megarhynchos | | | | r | | | | P | DD | C | A | C | B |
| M | 1310 | Miniopterus schreibersii | | | | p | | | | P | DD | C | A | C | B |
| B | A280 | Monticola saxatilis | | | | c | | | | P | DD | C | A | C | C |
| B | A280 | Monticola saxatilis | | | | r | | | | P | DD | C | A | C | C |
| B | A319 | Muscicapa striata | | | | c | | | | P | DD | C | A | C | C |
| B | A319 | Muscicapa striata | | | | r | | | | P | DD | C | A | C | C |
| M | 1321 | Myotis emarginatus | | | | p | | | | P | DD | B | A | C | A |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|---|--|--|--|---|----|---|---|---|---|
| M | 1324 | Myotis myotis | | | p | | | | P | DD | C | A | C | A |
| I | 1084 | Osmoderma eremita | | | p | | | | P | DD | C | B | C | A |
| B | A274 | Phoenicurus phoenicurus | | | r | | | | P | DD | C | A | C | C |
| B | A274 | Phoenicurus phoenicurus | | | c | | | | P | DD | C | A | C | C |
| B | A313 | Phylloscopus bonelli | | | c | | | | P | DD | C | A | C | C |
| B | A313 | Phylloscopus bonelli | | | r | | | | P | DD | C | A | C | C |
| B | A314 | Phylloscopus sibilatrix | | | r | | | | P | DD | C | A | C | B |
| B | A314 | Phylloscopus sibilatrix | | | c | | | | P | DD | C | A | C | B |
| B | A250 | Ptyonoprogne rupestris | | | c | | | | P | DD | C | A | C | C |
| B | A250 | Ptyonoprogne rupestris | | | r | | | | P | DD | C | A | C | C |
| M | 1304 | Rhinolophus ferrumequinum | | | p | | | | P | DD | C | A | C | B |
| M | 1303 | Rhinolophus hipposideros | | | p | | | | P | DD | C | B | C | B |
| I | 4026 | Rhysodes sulcatus | | | p | | | | P | DD | B | A | A | A |
| I | 1087 | Rosalia alpina | | | p | | | | P | DD | C | A | A | A |
| A | 5367 | Salamandrina perspicillata | | | p | | | | P | DD | C | A | B | A |
| B | A309 | Sylvia communis | | | r | | | | P | DD | C | A | C | B |
| B | A309 | Sylvia communis | | | c | | | | P | DD | C | A | C | B |
| F | 5331 | Telestes muticellus | | | p | | | | V | DD | C | A | C | B |
| A | 1167 | Triturus carnifex | | | p | | | | P | DD | C | B | C | B |
| B | A282 | Turdus torquatus | | | c | | | | P | DD | C | A | B | B |
| B | A282 | Turdus torquatus | | | r | | | | P | DD | C | A | B | B |
| I | 1014 | Vertigo angustior | | | p | | | | P | DD | B | A | A | B |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | Motivation | | | | | | | |
|---------|------|---|---|----|------------------------|-----|------|------------|---------------|----|------------------|---|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | | |
| | | | | | Min | Max | | | C R V P | IV | V | A | B | C | D |
| I | | Acanthocinus reticulatus | | | | | | P | | | | | | | X |
| I | | Acanthocinus xanthoneurus | | | | | | P | | | X | | | | |
| I | | Aglia tau | | | | | | P | | | | | | | X |
| P | | Anemone narcissiflora | | | | | | P | | | | | | | X |
| I | | Carabus cancellatus | | | | | | P | | | | | | | X |
| I | | Ceruchus chrysoelinus | | | | | | P | | | | | | | X |
| P | | Convallaria majalis | | | | | | P | | | | | | | X |
| R | 1281 | Elaphe longissima | | | | | | P | X | | | | | | |
| P | | Epipactis flaminia | | | | | | P | | | X | | | | |
| P | | Epipactis purpurata | | | | | | P | | | X | | | | |
| P | | Epipogium aphyllum | | | | | | P | | | | | X | | |
| M | 1327 | Eptesicus serotinus | | | | | | P | X | | | | | | |
| I | | Eurythyrea austriaca | | | | | | P | | | | | | | X |
| M | 1363 | Felis silvestris | | | | | | P | X | | | | | | |
| I | | Gnorimus nobilis | | | | | | P | | | X | | | | |
| M | 1344 | Hystrix cristata | | | | | | P | X | | | | | | |
| I | | Isotomus barbarae | | | | | | P | | | | X | | | |
| P | | Matteuccia struthiopteris | | | | | | P | | | | | | | X |
| M | 1358 | Mustela putorius | | | | | | P | | X | | | | | |
| I | | Nebria fulviventris | | | | | | P | | | X | | | | |
| M | 5775 | Ovis aries | | | | | | P | | | | | | | X |
| I | 1056 | Parnassius mnemosyne | | | | | | P | X | | | | | | |
| I | | Percus passerinii | | | | | | P | | | | X | | | |

| | | | | | | | | | | | | | | |
|---|------|---------------------------------------|--|--|--|--|--|---|---|---|---|---|--|---|
| M | 5009 | Pipistrellus pygmaeus | | | | | | P | X | | | | | |
| A | 1206 | Rana italica | | | | | | P | X | | | | | |
| A | 1213 | Rana temporaria | | | | | | P | | X | | | | |
| A | 2351 | Salamandra salamandra | | | | | | P | | | X | | | |
| A | 1185 | Speleomantes italicus | | | | | | P | | | X | | | |
| P | | Tozzia alpina | | | | | | P | | | | | | X |
| P | | Viola eugeniae | | | | | | P | | | | X | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N16 | 70.0 |
| N19 | 15.0 |
| N14 | 1.0 |
| N17 | 14.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Area del crinale dell'Appennino romagnolo su substrato marnoso arenaceo caratterizzata da boschi secolari di *Fagus sylvatica* e *Abies alba*. Comprende inoltre alcune cime (Monte Falco, Monte Penna, Poggio Scali) con vaccinieti e praterie secondarie. E' un importantissimo limite meridionale per alcune specie alpino-boreali e, all'opposto, il margine settentrionale per relitti appenninici provenienti da Sud.

4.2 Quality and importance

Specie vegetali CORINE appendice K: *Epipogium aphyllum*. Specie vegetali RARE: *Epipogium aphyllum*. Specie animali: *Rana temporaria*: popolazioni appenniniche isolate. *Agia tau*, le popolazioni dell'Appennino Romagnolo rappresentano un isolato relitto, essendo la specie limitata, in Italia, all'arco alpino e alle Prealpi Venete. E' associata prevalentemente al Faggio, pur potendosi sviluppare anche su altre latifoglie. *Carabus cancellatus*: popolazioni relitte presenti in regione esclusivamente in ambienti boschivi. *Eurythyrea austriaca*: popolazioni relitte, legate all'associazione vegetale dell'Abieti-Fagetum. *Acanthocinus reticulatus*: stazioni appenniniche relitte, legate all'associazione vegetale dell'Abieti-Fagetum. Sito di presenza stabile e di riproduzione di *Canis lupus*. Sito di nidificazione di *Aquila chrysaetos*. Sito di nidificazione di *Ficendula albicollis*, *Certhia familiaris*, *Turdus torquatus*. Importante per *Salamandrina terdigitata* e *Bombina variegata*, data l'eccezionale qualità dell'habitat. Sito di *Vertigo angustior*.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT01 | 100.0 | | | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|--|------|-----------|
| IT02 | Riserva Naturale Statale Badia Prataglia | * | 12.0 |
| IT02 | Riserva Naturale Statale Sasso Fratino | + | 19.0 |
| IT02 | Riserva Naturale Statale Campigna | + | 34.0 |
| IT01 | Parco Nazionale Foreste Casentinesi | - | 100.0 |

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|---|
| Organisation: | ENTE GESTORE: Parco Nazionale Foreste Casentinesi |
| Address: | Sede legale: Via Brocchi, 7 - 52015 Pratovecchio (AR); Sede Comunità del Parco: Via Nefetti, 3 - 47018 Santa Sofia (FC) |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| |
|---|
| <input type="checkbox"/> Yes |
| <input type="checkbox"/> No, but in preparation |
| <input checked="" type="checkbox"/> No |

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

265SO 265SE 265NO 1:25.000 UTM

