



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT4080003
SITENAME Monte Gemelli, Monte Guffone

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT4080003	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte Gemelli, Monte Guffone

1.4 First Compilation date 1995-06	1.5 Update date 2014-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Emilia-Romagna - Direzione Generale Ambiente, Difesa del Suolo e della Costa - Servizio Parchi e Risorse forestali
Address: Viale della Fiera, 8 - 40127 Bologna
Email: segrprn@regione.emilia-romagna.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-02
National legal reference of SPA designation	Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 1816 del 22 settembre 2003
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data

National legal reference of SAC designation:

No data

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

11.7386111111111

Latitude

43.9488888888889

2.2 Area [ha]:

13350.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD5

Emilia-Romagna

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3140			1.9		G	A	C	A	A
3240			53.15		G	A	C	B	B
4030			2.35		G	B	C	A	A
5130			274.51		G	A	C	A	A
6210	X		1320.06		G	A	C	A	A
6220			20.47		G	B	C	B	B

6430			6.15		G	C	C	A	B
6510			61.44		G	B	C	A	B
7220			9.34		G	C	C	A	B
8210			1.07		G	B	C	B	B
8230			22.76		G	B	C	B	B
8310			0.25		G	B	C	B	B
9130			1192.92		G	B	C	B	A
9180			582.38		G	B	C	A	A
91E0			23.26		G	B	C	B	B
9210			69.0		G	A	C	B	B
9220			371.44		G	B	C	A	A
9260			204.69		G	A	C	A	A
92A0			11.45		G	B	C	B	B
9340			4.03		G	D			

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site								Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Gl
B	A085	Accipiter gentilis			r	1	1	p		G	C	A	C	B
B	A085	Accipiter gentilis			c				P	DD	C	A	C	B
P	6302	Anacamptis pyramidalis			p				P	DD	C	B	C	C
B	A255	Anthus campestris			c				P	DD	C	B	C	C

B	A255	Anthus campestris			r				P	DD	C	B	C	C
B	A256	Anthus trivialis			c				P	DD	C	A	C	B
B	A256	Anthus trivialis			r				P	DD	C	A	C	B
B	A226	Apus apus			c				P	DD	C	A	C	C
B	A226	Apus apus			r				P	DD	C	A	C	C
B	A091	Aquila chrysaetos			w				P	DD	C	B	C	B
B	A091	Aquila chrysaetos			c				P	DD	C	B	C	B
I	1092	Austropotamobius pallipes			p				P	DD	C	A	C	A
F	1137	Barbus plebejus			p				C	DD	C	A	C	B
A	5357	Bombina pachipus			p				P	DD	C	A	C	A
B	A215	Bubo bubo			r	1	1	p		G	C	B	C	B
B	A215	Bubo bubo			c				P	DD	C	B	C	B
M	1352	Canis lupus			p				V	DD	C	A	C	A
B	A224	Caprimulgus europaeus			r				P	DD	C	B	C	B
B	A224	Caprimulgus europaeus			c				P	DD	C	B	C	B
B	A113	Coturnix coturnix			r				P	DD	C	A	C	C
B	A113	Coturnix coturnix			c				P	DD	C	A	C	C
B	A212	Cuculus canorus			c				P	DD	C	A	C	C
B	A212	Cuculus canorus			r				P	DD	C	A	C	C
B	A253	Delichon urbica			c				P	DD	C	A	C	C
B	A253	Delichon urbica			r				P	DD	C	A	C	C
B	A237	Dendrocopos major			c				P	DD	C	B	C	B
B	A237	Dendrocopos major			r				P	DD	C	B	C	B
B	A236	Dryocopus martius			c				P	DD	C	B	B	B
I	1074	Eriogaster catax			p				P	DD	C	A	C	C
I	6199	Euplagia quadripunctaria			p				P	DD	C	A	C	C
B	A103	Falco peregrinus			c				P	DD	C	B	C	B
B	A103	Falco peregrinus			r	1	1	p		G	C	B	C	B
P	4104	Himantoglossum adriaticum			p				P	DD	C	B	C	B
B	A300	Hippolais polyglotta			c				P	DD	C	A	C	C
B	A300	Hippolais polyglotta			r				P	DD	C	A	C	C
B	A251	Hirundo rustica			c				P	DD	C	A	C	C
B	A251	Hirundo rustica			r				P	DD	C	A	C	C
B	A233	Jynx torquilla			c				P	DD	C	A	C	C

B	A233	Jynx torquilla			r				P	DD	C	A	C	C
B	A338	Lanius collurio			r				R	DD	C	B	C	C
B	A338	Lanius collurio			c				P	DD	C	B	C	C
I	1083	Lucanus cervus			p				P	DD	C	A	C	C
B	A246	Lullula arborea			c				P	DD	C	B	C	B
B	A246	Lullula arborea			r				P	DD	C	B	C	B
B	A271	Luscinia megarhynchos			c				P	DD	C	A	C	C
B	A271	Luscinia megarhynchos			r				P	DD	C	A	C	C
B	A280	Monticola saxatilis			r				P	DD	C	A	C	A
B	A280	Monticola saxatilis			c				P	DD	C	A	C	A
B	A319	Muscicapa striata			c				P	DD	C	A	C	C
B	A319	Muscicapa striata			r				P	DD	C	A	C	C
M	1321	Myotis emarginatus			p				P	DD	B	A	C	A
M	1324	Myotis myotis			p				P	DD	C	B	C	B
B	A337	Oriolus oriolus			r				P	DD	C	A	C	C
B	A337	Oriolus oriolus			c				P	DD	C	A	C	C
I	1084	Osmoderma eremita			p				P	DD	C	B	C	B
B	A072	Pernis apivorus			c				P	DD	C	B	C	C
B	A072	Pernis apivorus			r				R	DD	C	B	C	C
B	A274	Phoenicurus phoenicurus			r				P	DD	C	A	C	B
B	A274	Phoenicurus phoenicurus			c				P	DD	C	A	C	B
B	A313	Phylloscopus bonelli			c				P	DD	C	A	C	B
B	A313	Phylloscopus bonelli			r				P	DD	C	A	C	B
B	A250	Ptyonoprogne rupestris			r				P	DD	C	A	C	C
B	A250	Ptyonoprogne rupestris			c				P	DD	C	A	C	C
M	1304	Rhinolophus ferrumequinum			p				P	DD	C	A	C	B
M	1303	Rhinolophus hipposideros			p				P	DD	C	A	C	B
I	1087	Rosalia alpina			p				P	DD	C	B	A	B
F	1136	Rutilus rubilio			p				P	DD	C	B	C	C
A	5367	Salamandrina perspicillata			p				P	DD	C	A	B	A
B	A210	Streptopelia turtur			c				P	DD	C	A	C	B
B	A210	Streptopelia turtur			r				P	DD	C	A	C	B

B	A304	Sylvia cantillans			r				P	DD	C	A	C	C
B	A304	Sylvia cantillans			c				P	DD	C	A	C	C
B	A309	Sylvia communis			c				P	DD	C	A	C	A
B	A309	Sylvia communis			r				P	DD	C	A	C	A
F	5331	Telestes muticellus			p				V	DD	C	A	C	B
A	1167	Triturus carnifex			p				P	DD	C	B	C	B
B	A232	Upupa epops			c				P	DD	C	A	C	C
B	A232	Upupa epops			r				P	DD	C	A	C	C
I	1014	Vertigo angustior			p				P	DD	B	A	A	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
I		Aglia tau						P						X
I		Catocala fraxini						P						X
R	2452	Coronella girondica						P			X			
R	1281	Elaphe longissima						P	X					
P		Epipactis purpurata						P			X			
M	1363	Felis silvestris						P	X					
M	1344	Hystrix cristata						P	X					
M	1358	Mustela putorius						P		X				
I		Percus passerinii						P				X		
M	1329	Plecotus austriacus						P	X					
A	1206	Rana italica						P	X					

A	1185	Speleomantes italicus					P			X		
---	------	---------------------------------------	--	--	--	--	---	--	--	---	--	--

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N12	1.0
N22	3.0
N08	7.0
N17	5.0
N14	5.0
N19	4.0
N16	74.0
N06	1.0
Total Habitat Cover	100

Other Site Characteristics

Area dell'Appennino romagnolo su substrato marnoso arenaceo caratterizzata da faggete, quercete, boschi misti mesofili, pascoli, zone rupestri e praterie arbustate.

4.2 Quality and importance

Specie animali: Coronella girondica, specie presente con distribuzione altamente frammentata lungo la fascia medio-montana e collinare. Specializzata ad habitat xerici. Scarse conoscenze sulla distribuzione ed ecologia di popolazione. Catocala fraxini, sebbene diffusa su un ampio areale la specie non è frequente anche perchè molto ricercata dai collezionisti. Si sviluppa su Pioppi, oltre che su Frassino e altre latifoglie, ma in Italia sembra mal tollerare le estese e profonde trasformazioni agricoli della pianura ed ha pertanto popolazioni molto localizzate, generalmente nell'orizzonte sub-montano. Aglia tau, le popolazioni dell'Appennino Romagnolo rappresentano un isolato relitto, essendo la specie limitata, in Italia, all'arco alpino e alle Prealpi Venete. E' associata prevalentemente al Faggio, pur potendosi sviluppare anche su altre latifoglie. Sito frequentato regolarmente come territorio di caccia da Canis lupus. Importante per Salamandrina terdigitata e Bombina variegata, data la buona qualità dell'habitat. Sito di Vertigo angustior.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]

IT00	0.3	IT01	99.7
------	-----	------	------

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	Parco Nazionale Foreste Casentinesi	*	99.7

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	ENTI GESTORI: Parco Nazionale Foreste Casentinesi e Amministrazione provinciale di Forlì-Cesena
Address:	-
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

254SO 264NE 265NE 265NO 265SE 265SO 1:25.000 UTM